

产品选型手册 PRODUCTS MANUAL

COMPANY PROFILE

上海汉钟精机股份有

PS系列干式螺杆

PS SERIES DRY SCREW VACUUM PUMP

主要特点：


MAIN FEATURES:

Series	机种	-		外罩				
	Model	-	Type					
(PS)	(XXX)							
PS	80							
	160							
	180							
	302							
	602							
	903							
	1302							
	1802							
PD	2002							
	2202							
	120							
	300							
	400							
	650							
	800							

机型 Model	PS

外形尺寸： PHYSICAL DIMENSION:


N型/N Type



单位/Unit :mm

机型 Model	A	B	C	D	E	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
PS80-N	375	320	550	185	740	923	576	66																	
PS160-N	405	350	565	213	857	1006	582	645																	


A/N型 /A/N Type



单位/Unit :mm

机型 Model	A	B	C	D	E	G	H	K
PS80-A	380	665	557	100	740	923	576	665

● 高



性能曲线。

外形尺寸:

PR系

机型 Model		单位Unit	PR600					

化工专用真空泵浦

Dry Screw Vacuum pump

外形尺寸：physical dimension

性能参数

机型	防爆对应型号	抽气速率l/min	极限压力(Pa)
PS80	Ex80	1600	1
PD120	Ex120	2000	
PD160	Ex160	2600	
PD180	Ex180	3000	
PD300	Ex300	5500	
PD400	Ex400	6666	
PD650	Ex650	10840	
PD800	Ex800	13333	

机型	防爆		

汉

产